

GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 1 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 001
Sampler : DL
Sample ID: Soil from Outfall Path

Sample Date: 05/02/2019
Sample Time: 13:51

Laboratory Certificate


PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
TPH, for solids	2,170.	mg/kg	CAC	05/06/2019	12:00	418.1	



This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 2 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 002
Sampler : DL
Sample ID: Standing Water

Sample Date: 05/02/2019
Sample Time: 13:56


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
Lead - mg/L	0.004	mg/L	DRH	05/08/2019	14:00	200.8	
Oil and Grease, Total	<5.0	mg/L	AH	05/07/2019	16:15	1664	
Benzene 6200 B (2)	<5.0	ug/L	CFS	05/03/2019	17:16	6200 B	(2)
Ethylbenzene 6200 B (2)	<5.0	ug/L	CFS	05/03/2019	17:16	6200 B	(2)
Toluene 6200 B (2)	<5.0	ug/L	CFS	05/03/2019	17:16	6200 B	(2)
Xylenes, 6200 B	<5.0	ug/L	CFS	05/03/2019	17:16	6200 B	
Naphthalene 6200 B	<5.0	ug/L	CFS	05/03/2019	17:16	6200 B	

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 3 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 003
Sampler : DL
Sample ID: Sediment from Scrap collection area

Sample Date: 05/02/2019
Sample Time: 14:05

Laboratory Certificate


PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
TPH, for solids	33,075.	mg/kg	CAC	05/06/2019	12:00	418.1	



This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 4 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 004
Sampler : DL
Sample ID: Liquid from Lacquer Thinner Can

Sample Date: 05/02/2019
Sample Time: 14:09


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
8260 ug/L LIQUIDS LONG LIST			CFS	05/03/2019	15:09		
Dichlorodifluoromethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Chloromethane(8260)	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Vinyl chloride	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Bromomethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Chloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Trichlorofluoromethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Acrolein	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1-Dichloroethene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Carbon disulfide	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Iodomethane	<200.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Acetone - ug/L	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Methylene chloride	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
trans-1,2-Dichloroethene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Acrylonitrile	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1-Dichloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Hexachlorobutadiene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Vinyl acetate	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 5 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 004
Sampler : DL
Sample ID: Liquid from Lacquer Thinner Can

Sample Date: 05/02/2019
Sample Time: 14:09


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
2,2-Dichloropropane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
cis-1,2-Dichloroethene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Methyl ethyl ketone	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Bromochloromethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Chloroform	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1,1-Trichloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1-Dichloropropene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Carbon tetrachloride	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Benzene(8260)	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2-Dichloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Trichloroethene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2-Dichloropropane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Dibromomethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Bromodichloromethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
2-Chloroethyl vinyl ether	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
trans-1,3-Dichloropropene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
4-Methyl-2-Pentanone	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Toluene(8260)	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
cis-1,3-Dichloropropene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 6 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094.

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 004
Sampler : DL
Sample ID: Liquid from Lacquer Thinner Can

Sample Date: 05/02/2019
Sample Time: 14:09


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
Ethyl methacrylate	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1,2-Trichloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Tetrachloroethene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,3-Dichloropropane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
2-Hexanone	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Chlorodibromomethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2-Dibromoethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Chlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1,1,2-Tetrachloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Ethylbenzene(8260)	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
m,p-Xylene	<200.	ug/L	CFS	05/03/2019	15:09	8260	(3)
o-Xylene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Styrene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Bromoform	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Isopropylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
Bromobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,1,2,2-Tetrachloroethane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2,3-Trichloropropane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
n-Propylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 7 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 004
Sampler : DL
Sample ID: Liquid from Lacquer Thinner Can

Sample Date: 05/02/2019
Sample Time: 14:09


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
2-Chlorotoluene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
trans 1,4-Dichloro-2 Butene	<1,000.	ug/L	CFS	05/03/2019	15:09	8260	(3)
4-Chlorotoluene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,3,5-Trimethylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
tert-Butylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2,4-Trimethylbenzene	110.	ug/L	CFS	05/03/2019	15:09	8260	(3)
sec-Butylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,3-Dichlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,4-Dichlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
p-Isopropyltoluene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2-Dichlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
n-Butylbenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2-Dibromo-3-chloropropane	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2,3-Trichlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)
1,2,4-Trichlorobenzene	<100.	ug/L	CFS	05/03/2019	15:09	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 8 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 005
Sampler : DL
Sample ID: Liquid from Drum

Sample Date: 05/02/2019
Sample Time: 14:18


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
8260 ug/L LIQUIDS LONG LIST			CFS	05/03/2019	14:27		
Dichlorodifluoromethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Chloromethane(8260)	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Vinyl chloride	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Bromomethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Chloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Trichlorofluoromethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Acrolein	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1-Dichloroethene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Carbon disulfide	<5.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Iodomethane	<10.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Acetone - ug/L	1,452.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Methylene chloride	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
trans-1,2-Dichloroethene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Acrylonitrile	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1-Dichloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Hexachlorobutadiene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Vinyl acetate	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 9 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 005
Sampler : DL
Sample ID: Liquid from Drum

Sample Date: 05/02/2019
Sample Time: 14:18


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
2,2-Dichloropropane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
cis-1,2-Dichloroethene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Methyl ethyl ketone	996.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Bromochloromethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Chloroform	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1,1-Trichloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1-Dichloropropene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Carbon tetrachloride	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Benzene(8260)	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2-Dichloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Trichloroethene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2-Dichloropropane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Dibromomethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Bromodichloromethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
2-Chloroethyl vinyl ether	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
trans-1,3-Dichloropropene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
4-Methyl-2-Pentanone	430.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Toluene(8260)	1,540.	mg/L	CFS	05/03/2019	14:27	8260	(3)
cis-1,3-Dichloropropene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 10 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson

Control No : 1905-00037 Sample # 005
Sampler : DL
Sample ID: Liquid from Drum

Sample Date: 05/02/2019
Sample Time: 14:18


Laboratory Certificate

PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
Ethyl methacrylate	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1,2-Trichloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Tetrachloroethene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,3-Dichloropropane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
2-Hexanone	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Chlorodibromomethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2-Dibromoethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Chlorobenzene	<5.0	ug/L	CFS	05/03/2019	14:27	8260	(3)
1,1,1,2-Tetrachloroethane	<5.0	ug/L	CFS	05/03/2019	14:27	8260	(3)
Ethylbenzene(8260)	345.	mg/L	CFS	05/03/2019	14:27	8260	(3)
m,p-Xylene	1,195.	mg/L	CFS	05/03/2019	14:27	8260	(3)
o-Xylene	381.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Styrene	72.	mg/L	CFS	05/03/2019	14:27	8260	(3)
Bromoform	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Isopropylbenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
Bromobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,1,2,2-Tetrachloroethane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2,3-Trichloropropane	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
n-Propylbenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)

This Certificate is Continued On Next Page.

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



GUARDIAN SYSTEMS, INC.

1108 Ashville Road
P.O. Box 190
Leeds, Alabama 35094

Telephone (205) 699-6647
Toll Free (866) 729-7211
Fax (205) 699-3882

Page 11 of 11

City of Leeds
1040 Park Drive
Leeds, AL 35094

Report Date: 05/10/2019
Receive Date: 05/02/2019
Receive Time: 16:00

Attention: Mr. Brad Watson


Control No : 1905-00037 Sample # 005
Sampler : DL
Sample ID: Liquid from Drum

Sample Date: 05/02/2019
Sample Time: 14:18

Laboratory Certificate


PARAMETER	RESULTS	UNITS	ANALYST	DATE	TIME	METHOD	REF
2-Chlorotoluene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
trans 1,4-Dichloro-2 Butene	<50.	mg/L	CFS	05/03/2019	14:27	8260	(3)
4-Chlorotoluene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,3,5-Trimethylbenzene	199.	mg/L	CFS	05/03/2019	14:27	8260	(3)
tert-Butylbenzene	359.	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2,4-Trimethylbenzene	531.	mg/L	CFS	05/03/2019	14:27	8260	(3)
sec-Butylbenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,3-Dichlorobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,4-Dichlorobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
p-Isopropyltoluene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2-Dichlorobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
n-Butylbenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2-Dibromo-3-chloropropane	<5.	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2,3-Trichlorobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)
1,2,4-Trichlorobenzene	<5.0	mg/L	CFS	05/03/2019	14:27	8260	(3)

Approved By:


Linda A. Miller
mlb

METHOD REFERENCES

1. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-20, revised March 1983, August 1993 May 1994
2. Standard Methods for the Examination of Water and Waste Water, 18th, 19th, 20th, and 22nd Edition, 2012
3. Test Methods for Evaluating Solid Wastes Physical Chemical Method SW-846, 3rd Edition, Updated IV December 1996
4. 1987 ASTM Annual Standards
5. Code of Federal Regulations, Title 40, Part 136, Appendix A, Revised July 1995
6. Methods for the Determination of Organic Compounds in Drinking Water, EPA-600/4-88/039, Revised July 1991, August 1995
7. NIOSH Manual of Analytical Methods, 4th Edition, May 1996



Contact: Brad Watson		Phone:	
Company: City of Leeds		Fax:	
Address:		P.O.#:	
Address:		Email Address:	
Project: Greenwave Collision Proxy		Analysis Requested:	

Sample ID	Sample Description	Sample Date	Sample Time	Sample			Bottle			Sample Preservative			Analysis Requested					
				Comp.*	Grab	Glass	Plastic	HCl	HNO ₃	H ₂ SO ₄	NaOH	Cool 40°C	Other **					
	Soil from outfall path	5/2	1351															
	Standing Water	5/2	1355					X										
									X									
	Sediment from Swamp Collection Area	5/2	1405															
	liquid from Leagues Cove	5/2	1409					X										


Sampled by: Travis P. Lyons	Relinquished by: [Signature]	Date: 2 May 19	Time: 1600
Received by:	Relinquished by:	Date:	Time:
Received by:	Relinquished by:	Date:	Time:
Received for Laboratory by: [Signature]	Date: 02 May 19	Time: 1600	

Was Shipped Container intact when received?	Yes	No	Initials	10	Seals intact?	Yes	No
Were all samples properly preserved?	Yes	No	Initials	10	Sample temp.	6.9	°C

Comments:	
Time On Site -	
Time Off Site -	

Put an "X" in the appropriate column for sample type and sample preservative. Write in analysis requested.

* For composite samples include start and stop date and time in comments section ***Write in preservative used in comments



Contact: <i>Brad Watson</i>	Phone:
Company: <i>City of Leeds</i>	Fax:
Address:	P.O.#:
Address:	Email Address:
	Project:

[illegible]

Sampled by: <u>Deanna R. Hughes</u>	Relinquished by: <u>Deanna R. Hughes</u>	Date: <u>2 May 19</u>	Time: <u>1:00</u>
Received by:	Relinquished by:	Date:	Time:
Received by:	Relinquished by:	Date:	Time:
Received for Laboratory by: <u>Devi Dargatzis</u>	Date: <u>02 May 19</u>	Time: <u>1:00</u>	
Was Shipped Container intact when received?	Yes <u>✓</u>	No <u> </u>	Initials <u>DB</u>
Were all samples properly preserved?	Yes <u>✓</u>	No <u> </u>	Initials <u>DB</u>
Sample temp. <u>6.9</u> °C			
Comments:			
Time On Site -			
Time Off Site -			

Put an "X" in the appropriate column for sample type and sample preservative. Write in analysis requested. For composite samples include start and stop date and time in comments section **Write in preservative used in comments